



SUMART®

BTL



PTK-21



FBT-18H




























FFS

TIK-T1




WTS-1629

TABLE OF CONTENTS

 MULTI TOOLS.....4~13	 MULTI TOOLS.....4~13
 BAGS.....14~15	 BAGS.....14~15
 TUBELESS KITS.....16~31	 TUBELESS KITS.....16~31
 TOOLS MAINTENANCE.....32~55	 TOOLS MAINTENANCE.....32~55
 SPOKES NIPPLES BOLTS...56~59	 SPOKES NIPPLES BOLTS...56~59
 PUMPS.....60~65	 PUMPS.....60~65
 CO2 SYSTEMS.....66~71	 CO2 SYSTEMS.....66~71
 CO2 SYSTEMS.....32~55	 CO2 SYSTEMS.....32~55
 MULTI TOOLS.....4~13	 MULTI TOOLS.....4~13
 BAGS.....14~15	 BAGS.....14~15
 TUBELESS KITS.....16~31	 TUBELESS KITS.....16~31
 TOOLS MAINTENANCE.....32~55	 TOOLS MAINTENANCE.....32~55
	 TOOLS MAINTENANCE.....32~55


04
FBT-5




FBT-5 | CHAIN RIVET EXTRACTOR

PHILLIPS SCREWDRIVER.

+ 4/5/6MM ALLEN KEY



05
FBT-6L
FBT-6S




FBT-6L | 6 FUNCTION BIKE TOOL SET

+ HEX 3/4/5/6MM
+ PH1, T25, NICKEL SIDEBAR
+ SIZE : 56 X 23.4 X 7.5MM

FBT-6S | 6 FUNCTION BIKE TOOL SET

+ HEX 3/4/5/6MM
+ PH1, T25, NICKEL SIDEBAR
+ SIZE : 73 X 23.4 X 7.5MM



06
FBT-8
FBT-9



FBT-8 | 8 FUNCTION BIKE TOOL SET

- + HEX 2/2.5/3/4/5/6MM
- + PH2, T25, 30MM
- + EYE-TO-EYE DISTANCE



FBT-9 | 9 FUNCTION BIKE TOOL SET

- + HEX 2/2.5/3/4/5/6/8MM
- + PH2, SL5



07
FBT-13



FBT-13 | 13 FUNCTION BIKE TOOL SET

- + HEX 2/2.5/3/4/5/6/8MM
- + PH1, PH2, T10, T25, SL5, CO2 INFLATOR
- + 72MM EYE-TO-EYE DISTANCE



08
FBT-15

FBT-15 | 15 FUNCTION BIKE TOOL SET

CHROME ALLOY STEEL

- + HEX 2MM/2.5MM/3MM/4MM/5MM/6MM/8MM
- + T25, PH2, SL5
- + SPOKE WRENCH #1(3.23)/#2(3.30)/ #3(3.45)/#4(3.96)
- + CHAIN BREAKER (9/10/11 SPEED)




09
FBT-17S



FBT-17S | 17 FUNCTION BIKE TOOL SET

- + HEX 2/2.5/3/4/5/6/8MM
- + PH2, SL5, T25, CHAIN BREAKER(9/10/11 SPEED)
- + SPOKE WRENCH : MAVIC 3.3/3.45
- + SHIMANO M7 (HEX 4.6/4.3/4.4) TIRE LEVER



10
FBT-17



FBT-17 | 17 FUNCTION BIKE TOOL SET

- + HEX 2/2.5/3/4/5/6 MM
- + PH2, SL5, T25
- + SPOKE WRENCH : MAVIC 3.3/3.45
- + SHIMANO M7 (HEX 4.6/4.3/4.4)
- + TIRE LEVER
- + CHAIN BREAKER FOR 9/10/11 SPEED
- + 72MM EYE-TO-EYE DISTANCE



11
FBT-18



FBT-18 | 18 FUNCTION BIKE TOOL SET

- + HEX 2/2.5/3/4/5/6/8, PH2, SL5, T25
- + SPOKE WRENCH #1(3.23) & #4(3.96)
- + PAD SPREADER
- + BOTTLE OPENER
- + SPANNER 8/10 MM
- + CHAIN BREAKER(9/10/11 SPEED)
- + CO2 INFLATOR, 58MM EYE-TO-EYE DISTANCE




12

FBT-18H
FBT-18M


FBT-18H | 18 FUNCTION BIKE TOOL SET

- + HEX 2/2.5/3/4/5/6/8,PH2,T25
- + SPOKE WRENCH 3.23/3.3/3.45/3.96
- + CHAIN BREAKER(9/10/11 SPEED)
- + BOTTLE OPENER, CO2 INFLATOR
- + PLUG TOOL
- + TIRE LEVER



FBT-18M | 18 FUNCTION BIKE TOOL SET

- + Hex 2/2.5/3/4/5/6/8
- + PH2, T25, CO2 INFLATOR
- + TIRE LEVER
- + BOTTLE OPENER
- + SPOKE WRENCH: #2/#3,4.3/4.4/4.6/M7




13

FBT-19

FBT-19 | 19 FUNCTION BIKE TOOL SET

- + HEX 2/2.5/3/4/5/6/8MM
- + PH2.SL5.T25.DOUBLE END BIT(T10.T30)
- + SPOKE WRENCH, #1(3.23)#2(3.30)#3(3.45)#4(3.96)
- + PAD SPREADOR
- + BOTTLE OPENER
- + CHAIN BREAKER(9/10/11 SPEED)
- + 58MM EYE-TO-EYE DISTANCE



14

TTB-1
TTB-2

PRO-LINER | PRO-LINER MTB TUBELESS ANTI PUNCTURE

- + SIZE : 29" X 2.40-2.70 (25-35MM)
- + 27.5" X 2.40-2.70 (25-35MM)
- + 20" X 1.75-2.125 (16-18MM)
- + HARDNESS : 20~25°



TTB-2 | TOP TUBE BAG

+ L16 X H8.5 X W3.5 (CM)

15

TTB-3
CPP-1



TTB-3 | TOP TUBE BAG

+ L19.5XW14.5XH14 (CM)

CPP-1 | 3-WAY CELL PHONE POUCH

- + MATERIAL : REFLECTIVE BLACK CLOTH / 600D POLYESTER
- + SUIT FOR IPHONE 6+, 5.5" SMART PHONES
- + EXTERIOR DIMENSIONS : 15 X 8 X 1(CM)
- + WEIGHT : 60 G



16 FFS PRO-LINER

PRO-LINER | PRO-LINER MTB TUBELESS ANTI PUNCTURE

- + SIZE : 29" X 2.40-2.70 (25-35MM)
- + 27.5" X 2.40-2.70 (25-35MM)
- + 20" X 1.75-2.125 (16-18MM)
- + HARDNESS : 20~25°
- + TYPE : ENDURO / PLUS.



FFS | FLATFIX SEALANT

- + SIZE : 160ML (FFS-160)
- + 400ML (FFS-400)
- + 2000ML (FFS-2000)
- + COLOR : BLUE.

17 TTRK-3 TTRK-4P

TTRK-3 | TUBELESS TIRE REPAIR KIT

- + MINI OPEN EYE TOOL : 1 PC
- + TIRE SEAL 5CM X 5 STRIPS (DIA #3.65MM) : 1 SET
- + TIRE SEAL 5CM X 5 STRIPS (DIA #1.55MM) : 1 SET
- + COLOR : BLACK, ORANGE, GREEN



TTRK-4P | TUBELESS TIRE REPAIR KIT

- + MINI OPEN EYE TOOL : 1 PC
- + MINI VORTEX TOOL : 1 PC
- + TIRE SEAL 10CM X 5 STRIPS (DIA #3.65MM) : 1 SET
- + TIRE SEAL 5CM X 5 STRIPS (DIA #1.55MM) : 1 SET.



18

TTRK-5

TTRK-5 | TUBELESS TIRE REPAIR KIT

- + MINI OPEN EYE TOOL : 1 PC
- + MINI VORTEX TOOL : 1 PC
- + TIRE SEAL 10CM X 5 STRIPS (DIA #3.65MM) : 1 SET
- + TIRE SEAL 5CM X 5 STRIPS (DIA #1.55MM) : 1 SET
- + VULCANIZING FLUID : 7ML.



19

TPRK-20

TPRK-20 | TIRE PUNCTURE REPAIR KIT

- + NYLON TIRE LEVER: 3 PCS
- + 10 COLD PATCHES (DIA.32MM: 3 PCS + DIA.25MM: 6 PCS + 34X24MM: 1 PC)
- + ADHESIVE: 7ML
- + VALVE HOSE: 8CM
- + SAND PAPER: 70X32MM
- + 4 RUBBER SHEETS (75X50MM: 1 PC + 25X25MM 3 PCS)



20 TPRK-3



TPRK-3 | TIRE PUNCTURE REPAIR KIT

- + CNC MACHINED
- + MINI OPEN EYE
- + VORTEX TOOL : 1 PC
- + TIRE SEAL 5CM X 2 STRIPS (DIA #1.55MM)
- + 5CM X 2 STRIPS (DIA #3.65MM)



21 TPRK-9

TPRK-9 | TIRE PUNCTURE REPAIR KIT

- + CNC MACHINED
- + MINI OPEN EYE
- + VORTEX TOOL : 1 PC
- + TIRE SEAL 5CM X 5 STRIPS (DIA #1.55MM) : 1 SET
- + PRESTA VALVE CORE : 2 PCS



22

TPC-2

TPC-2 | TIRE PUNCTURE REPAIR KIT

- + CO2 INFLATOR
- + CNC MACHINED
- + MINI OPEN EYE
- + VORTEX TOOL : 1 PC
- + TIRE SEAL 4.3CM X 5
- + STRIPS (DIA #1.55MM) : 1 SET
- + WEIGHT : 29 GRAMS



23

TIK-T1
TIK-CP1

TIK-T1 | TUBELESS INSERT KIT

- + AL6061-T6 CNC MACHINED
- + MINI OPEN EYE + VORTEX TOOL : 1 PC
- + TIRE SEAL 5CM X 5 STRIPS (DIA #1.55MM) : 1 SET
- + BAR END COMPATIBLE WITH : 18-22MM



TIK-CP1 | TUBELESS INSERT KIT

- + CO2 INFLATOR
- + CARTRIDGES 16G
- + AL6061-T6 CNC MACHINED
- + BAR END COMPATIBLE WITH : 18-22MM



24

TIK-D1
TIK-R1



TIK-D1 | BAR END TOOL

- + FEATURING A 1/4
- + DRIVER 6 IN 1
- + HEX: 3/4/5/6
- + AND PH2 / FL5



TIK-R1 | BAR END TOOL

- + FEATURING A CHAIN BREAKER



25

NL-3
NTL-2

NTL-2 | TIRE LEVER

- + 2 PCS
- + MATERIAL : STEEL + NYLON
- + SIZE : 102 MM X 18MM
- + W/LOGO SUMART
- + COLOR: BLACK



NTL-3 | NYLON TIRE LEVER

- + 3 PCS
- + COLOR : BLACK



26 RT BTL



RT | RIM TAPE

- + COLOR : BLUE
- + SIZE : 18/19/21/22/25/27/28/30/33/34/36/39MM X 11/50/100M
- + 3M PRESSURE-SENSITIVE SYNTHETIC RUBBER ADHESIVE

BTL | BICYCLE TIRE LINER

- + MATERIAL : TPU (ENVIRONMENTAL)
- + RIM DIAMTER : 700C/26"/24"/20"
- + WIDE : 19/25/40MM
- + THICKNESS : 0.8MM
- + LENGTH : 1695/2014/2140/2370MM
- + COLOR : GREEN, DARK GREEN/GREEN



BRS26 | BICYCLE RIM STRIP

- + MATERIAL : NYLON W/PVC
- + RIM DIAMTER : 26"
- + WIDE : 16/18/19/20MM
- + THICKNESS : 0.5MM
- + LENGTH : 1716MM
- + MAX : 125PSI
- + COLOR : YELLOW



BRS275 | BICYCLE RIM STRIP

- + MATERIAL : NYLON W/PVC
- + RIM DIAMTER : 27.5"
- + WIDE : 16/18/19/20MM
- + THICKNESS : 0.5MM
- + LENGTH : 1800MM
- + MAX : 125PSI
- + COLOR : BLUE



BRS700C | BICYCLE RIM STRIP

- + MATERIAL : NYLON W/PVC
- + RIM DIAMTER : 700C
- + WIDE : 16/18/19/20MM
- + THICKNESS : 0.5MM
- + LENGTH : 1916MM
- + MAX : 125PSI
- + COLOR : RED



27 BRS26 BRS275 BRS700C

28

PVS-36/43/45 36/43/45N

PVS-36/43/45 | PRESTA VALVE STEM

- + SIZE : 36/43/45MM
- + MATERIAL : BRASS
- + 1 PACKAGE = 2 PIECES



PVS-36/43/45N | PRESTA VALVE STEM

- + 36/43/45MM
- + WITH REMOVABLE VALVE
- + 1 PACKAGE = 2 PIECES



PVS-40AW | OVERSIZED PRESTA VALVE STEM

- + SIZE : 40MM, MATERIAL : ALLOY
- + COLOR : RED/GOLD/DARK BLUE/SKY BLUE/PURPLE/GREEN/PINK/BLACK
- + 1 PACKAGE = 2 PIECES



PVS-40ARW | OVERSIZED PRESTA VALVE STEM

- + SIZE : 40MM
- + MATERIAL : ALLOY
- + VALVE CORE REMOVER FOR PRESTA
- + 1 PACKAGE = 2 PIECES



29

PVS-40AW PVS-40ARW

30

PTS-1
PTS-7
SSVS-32P
SVS-32

PTS-1 | VALVE CONVERTER
+ PRESTA VALVE TO SCHRADER VALVE



PTS-7 | PRESTA VALVE TO SCHRADER VALVE SET
+ VALVE CONVERTER : 2 PCS
+ SPARE SCHRADER VALVE CORE : 1 PC
+ PRESTA VALVE CORE REMOVER TOOL : 1 PC
+ SCHRADER VALVE CORE REMOVER TOOL : 1 PC
+ SCHRADER VALVES CAP : 2 PCS



SVS-32P | SCHRADER VALVE STEM KIT
+ SIZE : 32MM, 2 X SCHRADER VALVES
+ 1 X SPARE VALVE CORE, 1 X VALVE KEY



SVS-32 | SCHRADER VALVE STEM
+ SIZE : 32MM
+ 2 X SCHRADER VALVES



31

PVE-40P
VCR-1
VCR-2



PVE-40P | PRESTA VALVE EXTENDER SET
+ (PRESTA VALVE EXTENDER / MATERIAL : AL6061-T6 / SIZE : 40MM) X 2 PCS
+ (VALVE CORE REMOVER / FOR PRESTA & SCHRADER / MATERIAL : AL6061-T6) X 1 PC
+ COLOR : BLACK



VCR-1 | VALVE CORE REMOVER
+ FOR PRESTA & SCHRADER
+ AL6061



VCR-2 | VALVE CORE REMOVER
+ FOR PRESTA & SCHRADER
+ CNC MACHINED
+ AL6061
+ COLOR : RED

32

BTT-1
BBW-23
BBW-25



BBT-1 | BOTTOM BRACKET TOOL

- + MATERIAL : STEEL
- + WEIGHT : 122G
- + WORKS ON SHIMANO CARTRIDGE B.B.

BBW-23 | BOTTOM BRACKET WRENCH

- + HANDLE : RUBBER
- + LENGTH : 300MM
- + WEIGHT : 295G
- + FITS SHIMANO HOLLOWTECH II B.B
- + INCLUDES A DUST CAP TOOL



BBW-25 | BOTTOM BRACKET WRENCH


- + HANDLE : RUBBER
- + LENGTH : 250MM
- + WEIGHT : 250G
- + FITS SHIMANO HOLLOWTECH II B.B

33

BBW-30S
BBW-30SF

BBW-30S | BOTTOM BRACKET WRENCH

- + IT DESIGNED FOR THE INSTALLATION AND REMOVAL OF SHIMANO HOLLOWTECH II EXTERNAL B.B. INCLUDING BB-9000
- + INCLUDES A DUST CAP TOOL (DCT-8P)



BBW-30SF | BOTTOM BRACKET WRENCH

- + IT DESIGNED FOR THE INSTALLATION AND REMOVAL OF SUMART BB30BSA, FSA MEGA EVO, SHIMANO HOLLOWTECH II BB
- + INCLUDES A DUST CAP TOOL
- + MAGNET (DCT-8PM)



34

BCA-800 BTS-29



BCA-800 | BIKE CARRIER ADAPTER

- + MATERIAL: STEEL
- + SIZE: WHEELS SIZE: 20" TO 29"
- + MIN BAR LENGTH: 615MM
- + MAX BAR LENGTH: 800MM
- + MAX HEADSET SIZE: 60MM
- + MAX SEAT TUBE DIAMETER: 30MM
- + CAPACITY: 15KG
- + COLOR : BLACK

BTS-29 | PRESSFIT 28.99 BOTTOM BRACKET TOOL SET

- + REMOVE & INSTALL - 41/42/46MM + BSA



CCB-23 | CHAIN & COG BRUSH

- + NYLON BRUSH : 5/4/2 CM
- + CURVED TOOTHED SCRAPER



BCB-130 | TAPERED DETAIL BRUSH



BCB-100 | C-SHAPED BRUSH



BCS-135 | FRAME CLEANING SPONGE/BRISTLE BRUSH



35

CCB-23 BCB-120 BCB-100 BCB-125

36

CCT-8 CCT-16 CHK-23

CCT-8 | CABLE CUTTER + MASTER LINK PLIERS 8 IN 1 TOOL

- + CABLE CUTTER
- + SPARE MASTER LINK
- + CHAIN QUICK LINK SWITCH
- + CABLE REAMING
- + INNER CAP CLAMP
- + MATERIAL: SK5 INDUSTRIAL STEEL FULLY CNC



CHK-23 | CHAIN CHECKER

- + ACCELERATED RATE : 0.75% AND 1%
- + COLOR : SILVER



CHK-30 | CHAIN CHECKER

- + CHAIN HOOK
- + ACCELERATED RATE : 0.75% AND 1%
- + COLOR : BLACK



CCT-16 | CRANK CAP TOOL

- + MATERIAL : STEEL
- + FOR SHIMANO ADJUST CAP
- + SRAM® AND RACEFACE® CRANK CAP WITH 16MM HEX HOLE
- + USE WITH 8MM HEX WRENCH OR ATTACH 8MM SOCKET WITH TORQUE WRENCH



37

CHK-30 CLT-2 CLT-DL

CLT-2 | CHAIN QUICK LINK OPEN CLOSE TOOL

- + OPEN AND CLOSE CYCLE CHAIN MASTER LINK PLIERS
- + SUITABLE FOR 5-12 SPEED CHAINS
- + BOTH OPENS AND CLOSES CHAIN MISSING LINKS



CLT-DL | CHAIN QUICK LINK OPEN CLOSE TOOL

- + OPEN AND CLOSE CYCLE CHAIN MASTER LINK PLIERS
- + SUITABLE FOR 7, 8, 9, 10 AND 11 SPEED CHAINS
- + BOTH OPENS AND CLOSES CHAIN MISSING LINKS




38

CP-1
CRE-1

CP-1 | CRANK PULLER

- + MATERIAL : STAINLESS STEEL
- + WEIGHT : 115G
- + SIZE : 7.8 X 2 CM
- + FOR REMOVING CRANK FROM SHIMANO SPINDLE, OVER-SIZED B.B. AND ISIS DRIVE
- + WITH INTERCHANGEABLE ADAPTOR FITS BOTH SQUARE AND SPLINED AXLES
- + USE WITH 15MM WRENCH



CRE-1 | CHAIN RIVET EXTRACTOR

- + MATERIAL : STAINLESS STEEL
- + WEIGHT : 125G
- + FOR 7/8/9/10 SPEEDS



CRE-2 | CHAIN RIVET EXTRACTOR

- + MATERIAL : STAINLESS STEEL, INTERCHANGEABLE PINS
- + FOR 7/8/9/10/11/12 SPEEDS



CRE-3 | CHAIN RIVET EXTRACTOR

- + MATERIAL : STAINLESS STEEL, WITH ADJUSTABLE GUIDE PIN INTERCHANGEABLE PINS
- + FOR 7/8/9/10/11/12 SPEEDS

39

CRE-2
CRE-3
CRT-254/286

CRT-254/286 | HEAD CUP REMOVER

- + MATERIAL : ALLOY STEEL
- + FOR 1-1/8" (28.6MM) & 1" (25.4MM)



40

DCT-8 DHA-295 FPP-1

DCT-8 | DUST CAP TOOL

- + PLASTIC BODY
- + FOR SHIMANO HOLLOWTECH II CRANK AND USE IT WITH 8MM HEX WRENCH
- + FOR REMOVING AND INSTALLING THE CAP



DHA-295 | DERAILLEUR HANGER ALIGNMENT GAUGE

- + COMPATIBLE WITH 20" TO 29"+ WHEEL
- + MATERIAL : STAINLESS STEEL (SUS 304)
- + WEIGHT : 1060G



FPP-1 | ROTOR FLATTENING TOOL

- + HYDRAULIC BRAKE PISTON PRESS
- + MATERIAL : ALLOY STEEL
- + SIZE : 27.9X5.1X5.1CM



41

FRM-2 FRM-12 FRM-15 FRM-30 FRM-40



FRM-12 | FREEWHEEL REMOVER

- + MATERIAL : STEEL
- + FOR REMOVAL OF SHIMANO PATTERN FREEWHEELS
- + WITH 12 TEETH BIKE FLYWHEEL
- + COLOR : SILVER



FRM-15 | FREEWHEEL REMOVER

- + W/ SUMART LOGO
- + MATERIAL : ALLOY STEEL
- + SIZE : 15MM X 15MM
- + WEIGHT : 47G, COLOR : BLACK



FRM-30 | FREEWHEEL REMOVER

- + FOR 30MM
- + USE WITH 24MM SPANNER
- + FINISH : BLACK



FRM-2 | FREEWHEEL REMOVER

- + FEATURES FREEWHEEL BODY DISASSEMBLY FOR MAINTENANCE
- + FOR MOST OF SHIMANO® HUBS
- + USE WITH A 24 MM WRENCH OR 1/2" DR. RATCHET WRENCH



FRM-40 | FREEWHEEL REMOVER

- + FOR 1-3/8"
- + USE WITH 24MM SPANNER
- + FINISH : SATIN

42

FWT-12 FWT-29

FWT-12 | FREEWHEEL REMOVER

- + MATERIAL : STEEL
- + FOR REMOVAL OF SHIMANO PATTERN FREEWHEELS
- + WITH 12 TEETH BIKE FLYWHEEL
- + COLOR : SILVER



FWT-29 | FREEWHEEL TURNER

- + MATERIAL : 45# CARBON STEEL
- + SURFACE FINISH : CHROME PLATED
- + LENGTH : 290MM
- + WEIGHT : 292G
- + WORKS ON 8, 9 AND 10 SPEED CASSETTES AND FREEWHEELS



43

HBT-2 HBT-30

HBT-2 | CUP PRESS TOOL

- + FOR HEADSET BEARING CUPS AND PRESSFIT BB
- + MATERIAL : HEAVY DUTY STEEL, IT MAKES THE HEAD CUP INSTALLATION EASILY
- + FOR ALL SIZES OF HEAD CUP AND ONE-PIECE BOTTOM BRACKET CUPS
- + WEIGHT : 1KG



HBT-30 | CUP PRESS TOOL

- + FOR HEADSET : 1", 1-1/8" AND 1.5"
- + FOR BB : PRESS-FIT BOTTOM BRACKET BB86, BB92 AND BB30
- + QUICK-RELEASE DESIGN FOR FAST TOOL INSTALLATION AND REMOVAL
- + EXTRA-LONG (30CM) HANDLES FOR SUPERIOR LEVERAGE



44

HCS-4
HCS-1314
HCS-1316A
HCS-1516
HCS-1718

HCS-1316A | HUB CONE SPANNER

- + MATERIAL: STEEL
- + NET WEIGHT: 100G/1PC
- + WRENCH LENGTH : 20CM
- + WRENCH THICKNESS : 2.5MM
- + WRENCH: 13, 14, 15, 16MM



HCS-4 | HUB CONE SPANNER

- + MATERIAL : SOLID STEEL
- + SIZE : 13/14/15/17MM
- + THICKNESS : 2.7MM
- + LENGTH : 13CM



HCS-1314 | HUB CONE SPANNER

- + SIZE : 13MM/14MM



HCS-1516 | HUB CONE SPANNER

- + SIZE : 15MM/16MM



HCS-1718 | HUB CONE SPANNER

- + SIZE : 17MM/18MM



45

HLK-9
HSG-318

HLK-9 | 9 PCS HEX KEY LONG ARM / BALL POINT

- + 1.5/2/2.5/3/4/5/6/8/10 MM
- + CHROME VANADIUM MATERIAL
- + MIRROR CHROME FINISH
- + BLUE/BLACK



HSG-318 | ADJUSTABLE HACKSAW GUIDE

- + THREADLESS FORK : 25.4 / 28.6 / 31.8MM
- + HANDLEBAR : 21.5MM



46

LRT-2
NTL-2

LRT-2 | 2 IN 1 EXTERNAL NOTCH LOCKRING INSTALL REMOVAL TOOL

+ WITH 15/16MM CONE SPANNER PEDAL WRENCH



NTL-2 | TIRE LEVER: 2 PCS

+ MATERIAL : STEEL + NYLON
+ SIZE : 102 MM X 18MM



47

PTK-21

PTK-21 | PROFESSIONAL TOOL KIT

- + TOTAL 21 ITEMS :
- + CHAIN RIVET EXTRACTOR
- + BOTTOM BRACKET TOOL
- + BOTTOM BRACKET TOOL (AXLE POST)
- + TUBELESS TOOL
- + 8MM HEX KEY WRENCH WITH 1/2" ADAPTOR
- + HUB CONE SPANNER 13/14/15/16MM SET (2 PIECES)
- + CRANK PULLER
- + FLAT SCREWDRIVER
- + PHILIPS SCREWDRIVER
- + FREEWHEEL TURNER
- + ADJUSTABLE WRENCH
- + HEX KEY WRENCH 1.5/2/2.5/3/4/5/6/8/10MM
- + SPOKE WRENCH
- + PEDAL WRENCH 15MM
- + FRONT FORK WRENCH 38/40MM
- + TIRE PUNCTURE REPAIR KIT
- + TIRE LEVER SET (3 PIECES)
- + VALVE CORE REMOVER



48

RCT-15
RFT-3



- RCT-15 |
- + HEX 2/2.5/3/4/5/6 (MM)
 - + PH1/2, -SL5MM
 - + TORX10/25/27
 - + SPOKE WRENCH 3.30,3.45
 - + CHAIN BREAKER(9/10/11) SPD



- RFT-3 | ROTOR FLATTENING TOOL
- + TO ADJUST BENT OR DAMAGED BRAKE ROTORS WITH COMFORTABLE HANDLE

49

RTB-12
SNS-286

- RTB-12 |
- + HEX 2/2.5/3/4/5/6 (MM)
 - + PH1/2, -SL5MM
 - + TORX10/25/27



- SNS-286 | STAR NUT TOOLING
- + SIZE : Ø25.4 / 28.6MM



50

SPW-8
SPW32
SPW33
SPW35

SPW32 | SPOKE WRENCH

- + 4-SIDED, SIZED FOR 3.2MM (0.127") NIPPLES
- + COLOR : BLACK



SPW33 | SPOKE WRENCH

- + 4-SIDED
- + SIZED FOR 3.3MM (0.130") NIPPLES
- + COLOR : GREEN



SPW35 | SPOKE WRENCH

- + 4-SIDED
- + SIZED FOR 3.5MM (0.136") NIPPLES
- + COLOR: RED



SPW-8 | SPOKE WRENCH

- + FITS 9, 10, 11, 12, 13, 14, & 15 GAUGE SPOKE NIPPLES
- + COLOR : SILVER

51

STG-25
TK-4/5/6
STE-50/90/120

STE-50/90/120 | STEERER TUBE EXTENDER

- + MATERIAL : AL6061-T6
- + FOR 1-1/8"(28.6MM) THREADLESS STEERER
- + RANGE : 47.5MM ~ 65.5/105.5/135.5MM



TK-4/5/6 | TORQUE WRENCH

- + 4/5/6NM (PRESET), T-HANDLE
- + MATERIAL : NYLON/ALLOY/STEEL
- + HEX 4/5/6MM
- + PH2, SL4, T25
- + BLACK



STG-25 | SEAT TUBE GAUGE

- + MATERIAL : ALUMINUM
- + SIZE : 25MM TO 34.9MM



52

TKS-9
TORQ-11
TORP-12

TKS-9 | 9 PCS TORX KEY SHORT ARM

- + T10/T15/T20/T25/T27/T30/T40/T45/T50
- + CHROME VANADIUM MATERIAL
- + SATIN FINISH / CHROME PLATED
- + BLUE/BLACK



TORQ-11 | TORQUE WRENCH TOOL BOX

- + 1/4"
- + WRENCH LENGTH : 220MM
- + TORQUE RANGE : 2-24NM WITH NM-LOCK
- + INCLUDED SOCKET BITS
- + HEX 3/4/5/6/8/10MM
- + TORX 20/25/30
- + HEX 5MM - L: 100MM



TORQ-12 | TORQUE WRENCH TOOL BOX

- + 1/4"
- + WRENCH LENGTH : 220MM
- + TORQUE RANGE : 2-24NM WITH NM-LOCK
- + INCLUDED SOCKET BITS
- + HEX 3/4/5/6/8/10MM
- + TORX 20/25/30
- + HEX 5MM - L: 100MM
- + HEX 4MM - L: 75MM



53

TORQ-27
TORQ-27S

TORQ-27 | TORQUE WRENCH TOOL BOX

- + 2-25NM
- + A 3/8" SOCKET SET (8/9/10/12/13/14/15MM)
- + ADAPTER 1/4X3/8
- + HEX 2/2.5/3/4/5/6/8/10MM
- + TORX 15/20/25/30
- + PH 1/2/3 AND SLOT 4/5/6



TORQ-27s | TORQUE WRENCH TOOL BOX

- + 2-20NM
- + A 3/8" SOCKET SET (8/9/10/12/13/14/15MM)
- + ADAPTER 1/4X3/8
- + HEX 2/2.5/3/4/5/6/8/10MM
- + TORX 15/20/25/30
- + PH 1/2/3 AND SLOT 4/5/6



54

WTS-1629

55

YHW-3
YSW-3

WTS-1629 | WHEEL TRUING STAND

- + ACCEPTS WHEELS UP TO 16"-29" WITH OR WITHOUT TIRE
- + CALIPERS ACCEPT RIM WIDTH UP TO 3.8
- + ACCEPTS HUB WIDTH UP TO 150MM
- + WEIGHT: 7.80KG (17.20LBS)



YHW-3 | Y-TYPE HEX WRENCH

- + 4/5/6MM HEX WRENCH
- + HARDENED STEEL CONSTRUCTION
- + NON-SLIP RUBBER COATING



YSW-3 | Y-TYPE SOCKET WRENCH

- + 8/9/10MM SOCKET WRENCH
- + NON-SLIP RUBBER HANDLE



56

SP14
ASN

SP14 | SPOKES + NIPPLES

- + SPOKE MATERIAL : GALVANIZED IRON
- + SPOKE LENGTH : 268/271/272/273/288/290/291/294 MM
- + SPOKE TYPE : PLAIN GAUGE
- + SPOKE THREAD: 14 GAUGE
- + NIPPLE MATERIAL : BRASS
- + NIPPLE SIZE : 14MM / 14 GAUGE
- + COLOR : ED BLACK



ASN | ALLOY SPOKE NIPPLE

- + MATERIAL : ALLOY
- + SIZE : 14MM
- + 1 BOTTLE : 300 PCS
- + COLOR : LIME/LIGHT BLUE/ORANGE/GOLD/RED/PINK/PURPLE



57

CKB-R20
CKB-R20H

CKB-R20 | CRANK BOLT

- + MATERIAL : AL7075-T6
- + LENGTH : M20 (24.7x10.)
- + FOR SHIMANO ROAD
- + COLOR : BLACK/RED/BLUE



CKB-R20H | CRANK BOLT

- + MATERIAL : AL7075-T6
- + LENGTH : M20 (24.7x10.)
- + FOR SHIMANO ROAD
- + COLOR : BLACK/RED/BLUE




58

CKB-SM15 CKB-SM20H



CKB-SM15 | CRANK BOLT

- + MATERIAL : AL7075-T6
- + LENGTH : M15 (25.8x12.8LMM)
- + FOR SRAM MTB
- + COLOR : BLACK/RED/BLUE




CKB-SM20H | CRANK BOLT

- + MATERIAL : AL7075-T6
- + LENGTH : M20 (28x11.2LMM)
- + FOR SHIMANO MTB
- + COLOR : BLACK/RED/BLUE



59

CKB-M18D CHB-M8H5



CKB-M18D | CRANK BOLT

- + MATERIAL : AL7075-T6
- + LENGTH : M18 (28x9LMM)
- + CRANK BOLT, FOR BICYCLE CRANK DENTAL PLATE
- + COLOR : BLACK/RED/BLUE



CHB-M8H5 | CHAINRING BOLTS

- + MATERIAL : AL6066-T6
- + LENGTH : M8 (0.75*8.5LMM)
- + FOR MTB
- + PACK OF 4
- + COLOR : BLACK/RED/BLUE

60

AMP-120 AMP-120A



AMP-120 | MINI PUMP

- + MINI PUMP W/PRESSURE GAUGE
- + SIZE : 55.5-41.2-26.5MM, 1.5''' DIAL
- + BARREL MATERIAL : PLASTIC
- + EXTRACTABLE 360° ROTARY HOSE + DUST CAP
- + REVERSIBLE PRESTA & SCHRADER WITH THUMB-LOCK LEVER
- + MAX. PRESSURE : 120 PSI
- + COLOR : BLACK

AMP-120A | MINI PUMP

- + MINI PUMP W/PRESSURE GAUGE
- + SIZE : 55.5-41.2-26.5MM, 1.5''' DIAL
- + BARREL MATERIAL : ALLOY
- + EXTRACTABLE 360° ROTARY HOSE + DUST CAP
- + REVERSIBLE PRESTA & SCHRADER WITH THUMB-LOCK LEVER
- + MAX. PRESSURE : 120 PSI
- + COLOR : BLACK



AMP-203 | MINI PUMP

- + CLEVER VALVE MINI PUMP
- + SIZE : 203MM
- + BARREL MATERIAL : PLASTIC
- + CLEVER VALVE FOR PRESTA/SCHRADER
- + 2-TONE HANDLE
- + MAX. PRESSURE : 120 PSI
- + COLOR : BLACK



AMP-203A | MINI PUMP

- + CLEVER VALVE MINI PUMP
- + SIZE : 203MM
- + BARREL MATERIAL : ALUMINUM
- + CLEVER VALVE FOR PRESTA/SCHRADER
- + 2-TONE HANDLE
- + MAX. PRESSURE : 120 PSI
- + COLOR : SILVER



61

AMP-203 AMP-203A

62

FRP-160 HCP-117



FRP-160 | FLOOR PUMP

- + CLEVER VALVE FOR PRESTA/SCHRADER
- + BARREL MATERIAL : STEEL
- + HIGH-MOUNTED GAUGE : 2"
- + SIZE : 61.92 CM
- + MAX. PRESSURE : 160 PSI
- + COLOR : BLACK

HCP-117 | HYBRID CO2 MINI PUMP

- + LENGTH : 117MM
- + DIAMETER : 18MM
- + CHUCK LENGTH : 16MM
- + WEIGHT : 61.6G
- + MAX : 120 PSI



63

HCP-147 HCP-190



HCP-147 | HYBRID CO2 MINI PUMP

- + LENGTH : 147MM
- + DIAMETER : 18MM
- + CHUCK LENGTH : 16MM
- + WEIGHT : 64G
- + MAX : 120 PSI



HCP-190 | HYBRID CO2 MINI PUMP

- + LENGTH : 190MM
- + DIAMETER : 18MM
- + CHUCK LENGTH : 16MM
- + WEIGHT : 88G
- + MAX : 120 PSI



64

AMP-1
AMP-2

AMP-1 | SHOCK PUMP

- + 14" SHOCK PUMP ALUM BARREL AND SHAFT
- + BETTER HOLDING ALUM HANDLE
- + MICRO ADJUST BUTTON



AMP-2 | SHOCK PUMP

- + SHOCK PUMP ALUM BARREL AND SHAFT
- + ROTARY FOLDABLE HOSE
- + MICRO ADJUST BUTTON



65

AMP-3

AMP-3 | DIGITAL SHOCK PUMP

- + HIGH-PRESSURE FORK/SHOCK PUMP DIGITAL GAUGE
- + W/ DIGITAL GAUGE
- + MAX PRESSURE : 300 PSI



66

AMP-1
AMP-2

67

CIF-PS
CIF-PV



CIF-LV | CO2 INFLATOR WITH CARTRIDGE STORAGE

- + PRECISION CNC ALLOY BODY
- + FOR PRESTA/SCHRADER VALVES
- + LENGTH : 128MM
- + DIAMETER : 30MM
- + CHUCK LENGTH : 45MM
- + WEIGHT : 65G



CIF-LVS | CO2 INFLATOR

- + TWIST CONTROLLABLE INFLATION RATE
- + PRECISION CNC ALLOY BODY
- + FOR PRESTA/SCHRADER VALVES
- + LENGTH : 28MM
- + DIAMETER : 17MM
- + CHUCK LENGTH : 20MM
- + WEIGHT : 14.5G



CIF-PS | CO2 INFLATOR

- + PRECISION CNC ALLOY BODY
- + FOR PRESTA/SCHRADER VALVES
- + LENGTH : 28MM
- + DIAMETER : 15MM
- + CHUCK LENGTH : 18MM
- + WEIGHT : 15G




CIF-PV | CO2 INFLATOR

- + PRECISION CNC ALLOY BODY
- + FOR PRESTA/SCHRADER VALVES
- + LENGTH : 43MM
- + DIAMETER : 16.7MM
- + CHUCK LENGTH : 27MM
- + WEIGHT : 20.65G



68

CIF-TV
CIF-TPV



CIF-TV | CO2 INFLATOR

- + PRECISION CNC ALLOY BODY
- + FOR PRESTA/SCHRADER VALVES
- + LENGTH : 44MM
- + DIAMETER : 14MM
- + CHUCK LENGTH : 27MM
- + WEIGHT : 49.5G

CIF-TPV | CO2 INFLATOR

- + BODY MATERIAL : PLASTIC
- + VALVE HEAD : ALLOY
- + LENGTH : 52MM
- + VALVE DIAMETER : 14MM
- + CHUCK LENGTH : 30MM
- + WEIGHT : 25.78G

CIF-TPVP | CO2 INFLATOR KIT

- + THREADED CO2
- + PLASTIC CO2 INFLATOR X 1
- + CO2 CARTRIDGE COVER X 1
- + CARTRIDGES 16G X 2



TPG01 | TIRE PRESSURE GAUGE

- + MEASURING RANGE : 0 - 60 (PSI)




69

TPG01
CIF-TPVP

70

TPG02
CB-2



CB-2 | CO2 CARTRIDGE HOLDER

- + FOR TWO THREADED CO2 CARTRIDGES (12 OR 16 GRAMS)
- + STRONG ALUMINIUM CONSTRUCTION
- + RUBBER SAFETY GROMMETS AT CARTRIDGE INSERTION POINTS

TPG02 | TIRE PRESSURE GAUGE

- + MEASURING RANGE : 5 - 50 (PSI)



71

TCC-3
TCC-15
TCC-30



TCC-3 | CO2 CARTRIDGES

- + 16 GRAM THREADED CO2 CARTRIDGE
- + 1 PACKAGE : 3 PCS

TCC-15 | CO2 CARTRIDGES


- + 25 GRAM THREADED CO2 CARTRIDGES
- + W/ SUMART DISPLAY BOX
- + 1 BOX : 15 PCS



TCC-30 | CO2 CARTRIDGES

- + 16 GRAM THREADED CO2 CARTRIDGES
- + W/ SUMART DISPLAY BOX
- + 1 BOX : 30 PCS





WWW.SUMART.BZ